



# EEG Monitoring Catalog

1000000000000



BWIII VEEG/ICU/LTM



# History

Since 1969, we have worked tirelessly to deliver the best available products and customer experience. Today, we specialize in offering innovative solutions for diagnostics in Neurology and Sleep Medicine. We operate on a global level in the manufacturing, marketing, and distribution of equipment and supplies, offering the best return on your capital investment, with a people-centric approach in everything we do.

Our past at a glance:

1





Argentina


At Neurovirtual, we provide 24/7 technical support, powered by a human being on the other side, because we understand that your time is best spent helping your patients, not waiting on a lengthy queue or dealing with a recording.

A survey conducted by a third party between January and September 2017, completed by over 400 of our current customers yielded strong evidence that we are a peoplefirst company, as detailed in the following results: 75% of the sample customers said they were answered immediately, with 20% waiting less than 3 minutes to speak to a technical support specialist.

1.About how long did you have to wait before speaking to a repesentative?




2.How satisfied are you in the time your call was answered?




We believe that careful listening is a big part of what it takes to provide the right solution, and we train our specialists to be active and patient listeners. Over 99% of our respondent customers rated our technical support specialists as very knowledgeable, friendly, and courteous in their handling of support calls.

3.The customer service representative was very knowledgeable: Do you agree or disagree?




The process is important, but ultimately, the results are what matter. Over 97% of our customers felt they received a good solution, with 94% saying that our support specialists were able to provide a quick answer to the problem they were experiencing, allowing them to get back to work doing what matters most, helping their patients.

4. Overall, was the process for getting your problem resolved:



5.What would best describe what happened?



Our high-quality products offer the latest in hardware technology, paired with our proprietary BWAnalysis software, allowing for greater efficiency so you can better serve your patients.

Neurovirtual employs a dedicated team of in-house software developers and engineers, whose primary goal is to continually improve our user platform to better suit your needs. Part of our people-first approach includes 50 hours of software customization with every new order, ensuring our software suite is the most intuitive and user-friendly package available.

"By using the Neurovirtual BWIIEEG systems, we have been able to deliver continuity of care which is one of the most valuable experiences we can offer our patients. Neurovirtual has allowed us to do so by providing advanced, reliable medical testing concepts that lets our physicians maintain direct oversight of their patients' diagnoses and treatment. By their commitment for excellence, the result is greatly expanded medical care with long-term positive effects."

Robert Manos, REEGT, RNCST Synatec Neuro – Wichita, KS

### **Quantitative EEG**

- Measurement Tool allows user to select a specific area in the EEG to display duration, frequency, & amplitude
- EEG Spectrogram feature to select specific channel derivations to display Amplitude and Dominant Frequency Analysis graphically
- Digital Analysis and Brain mapping. Calculate (FFT) and display brain maps, frequency histograms, & CSA spectrums

#### Synchronized HDVideo

- Pan-tilt-zoom camera (PTZ) to view 360 degrees of angles and zoom up to 18 times
- Dual Video capability allowing configuration of two cameras capturing wide and close angles
- Post-Acquisition Zoom
- Video clipping feature, allows you to keep only the important events

		EWANAYSE - UNNESS	(E)<06-24-3014 (01.54-03 PM.84g.1	- Trace).			
Con R d m d D. Y			training in Patron in FERRE	In Laboratory D Friday	allows all Distance	Dr/De Dee	
420.00 M		14.20 M/ PM	(4 25 42 PM	Pipom 7	(12).4176	Do 20 at the	74 20 45 PM
and the second s	- automation and	man Nel	Mr. M. M.	Alanl	1 mm	man	nh and
	and and a state of the second	Vire marine	W W K V	White W	1 million		
and sold as in	an and a second of	agaaga wh	Karring	man	A but	COLUMN THE R	0.000
		- Annon An	Mr.	XXX	1.00		4000
		an and an and	MAN M	Mr. X YM		5. N 1	0.0.00
	ALC: NO CONTRACTOR	month	h h h	V. Water 1	C & 22	100 C	
	cat astronik Pran a NJ	MARCA LA	1832 Server	what W. M.	Sec. 1		mon
	non which Made	a a a a a a a a a a a a a a a a a a a	AN WANT	XW ( W m	1. 1. 1.	- M -	1 . m
www.www.w	Mar Mar Mar Mar Mar	Munully.	VINTXWmm	MANINA			min
	no municipan ala	Marrie and N	VAW WAY	G the New	and the second s	-1-1	man
and the second sec	And a second and the second	Murray Mar Ma	TAXX XI	Ke you Doy		-	march
and a second second	manual Manuel	1 manuly	VIX VI	WWW .		-	1 million
and a second and a second of the second of t	warment word a his	with the with	A WWW	MAN V and	maring		www
	a harrow with	manula	South Vin	when no	and a mary	ann	20
within the	whow would	munun	Mar Martin Vinter	MWWWW	they was	A MAN MAR	now
Survey and the West	- approximation and a second	man of the	WWW W	Mary	Wa		www
	and a second	monthingh	Mar Mar	my war	man		mun
	Martin and and and and and and and and and an	and a	mum	man		MANN.	mm
- Marine	mound	- www.w	when and	moran	when man	- marine	mon
	1 1 1	1		1	- 1 - 1		
- And	hand	hand	nan	min	h	man	- m
			1				
A STATE	A CORPORT OF STREET	<b>的复数形式的复数形式</b>	CONTRACTOR OF STREET, S	Contraction of the local sectors of the local secto	ALC: NO OTHER DAY	STATISTICS OF	10 A 10 A
	the rich with the	and the busile of the	and the dia fi		an and a first of	St. Anatoria	and the last
a. Break are been and	CONTRACTOR OF THE	AND A COMPANY AND A COMPANY AND	ACCOUNT OF AUTOMOTION	State State State State	ALC: NO SHOP IN	State State State State	AND PARTY
11.17.12.09	2112-1174 824	NIN COMM	023621 PM	ED-1014PM	TO DO DO PORT	ELECTRON PARTY	\$3.00.00 PM
14	7/0		483	Scene 7 Period Se	600 L/E Proc.407 at IN1 External L	Till Last Rover-Scrept Nicksen	All Interference of
					Logar Logar	and a local sector	price of


- Live Review Video Monitoring
- HD Audio captures two way communication between patients and technicians

#### Windows 7 to 10 Compatible Software

- Supports Desktop, Laptop, or Tablet PCs
  - Easy report customization
  - Free unlimited Software Update and Reader Licenses

#### Fully Customizable Software

- Customizable Photic, Hyperventilation and Post-Hyperventilation protocols give you the flexibility to accommodate individual patient needs
- Live Review of data and montage editing from EEG screen during live acquisition
- MD Workspace allows user to create custom work spaces configured to meet their preferences
- Microsoft Word Report Template generation



	#000/androga _100/iE_50/11(06:24-2014/011/02) PM.exeg1 ~ Trayat	
	- State Looks Fernit Fernit Fernitering and States Terr Violages Territ Hall ドロント (1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	
6	Trontine posterie collisies collisies collisies to y	1
Fp1-FT	man and the and the manufactures and the second sec	
#7-13	man man the for the for the second	
T3-T5		
15-01	man man why you have men and and the second se	
Fp1-F3	manufacture and the for the the manufacture and the second	
FACS	man man man and the for the	
C3-P3	man man the for the for the formand	
P3-01	and the second s	
F2-C2		
C2-P2		- and -
Fp2F4		0-0
F4-C4		Words As
C4-P4	manufacture and the property of the second s	
P4-02	month the first of the second	Vinne
10.00	manufanter and the the first the second	in the second
Fp2-F8		
F8-T4		
T4-T6		
T6-02		
		A
EKO	- And hall hall hall hall hall hall hall hal	n
PHOTIC	- Crop 3	
frank/		

"My Neurovirtual experience was pleasant and exceeding my expectations" John Axley MD - Pensacola, FL

#### Easy Crop Feature

- Easy clipping feature on the toolbar permits users to crop and prune recorded studies
- Cropped studies maintain synchronized video clippings
- Track your cropped studies through BWCenter, our SQL patient database

# BW Center

Microsoft SQL-based BWCenter patient database software delivers integrated solutions for enterprise environment, and offer seamless integration with healthcare information systems via HL7. BWCenter is a powerful tool to manage EEG studies and allows user to easily organize, find and report patient files. Filter study by date, status, diagnosis, or use any built-in customizable field to create custom filters for your unique needs. Data may be organized to reside on a server or in a peer to peer environment distributed across all recording systems.

#### **BWCenter Patient Database Features:**

- Integration with Neurovirtual's BWAnalysis
  Acquisition/Review Software
- Handles patient files, develops patient reports and tracks overall progress of patient care
- Ability to backup, archive, relocate, and manage patient data from an intuitive data management tool
- Expanded search capability allows user to search for patients based on a variety of filter options
- Patient homepage includes an individual's contact information and other pertinent data such as exams performed and reports generated
- Management of multiple facilities allow expanded control across multi-site centers
- Enhanced login security and permission group options allow administrators the flexibility of applying specific user account permission to different staff members
- Log all activities for security: user date/time and detail operations



#### **BWCenter/Hospital EMR HL7 Integration Features:**

- HL7 Bi-Directional interface allow integration between BWcenter and Hospital EMR Platforms
- ADT Patient Demographic information and Order Messages (ORM) can be exchanged from Hospital EMR to BWcenter automatically via HL7
- Final reports in PDF can be transmitted directly from BWcenter to Hospital EMR
- Compatible with all major EMR Platforms

# Hardware

Our hardware is designed to be both attractive and ergonomic, with a forward-looking approach employed from conception to production. We use light-weight, durable materials, and add convenient features to our hardware that consider the comfort of the professionals and patients that will be using the devices on a daily basis.

#### **BWIII EEG Plus**

- Full Routine EEG and LTM capacity, allowing users to perform both clinical EEG and LTM studies from the same hardware and software platform
- Hardware is light-weight and portable. It can be transported from one location to another seamlessly via carrying case, or permanently installed on a mobile trolley or ICU Cart
- Dual electrode/sensor inputs on the head box and amplifier provide techs with flexibility and troubleshooting options
- Built-in bedside Impedance directly from Amplifier allow techs to check the impedance status without having to leave patient side
- 8 Built-in DC channels directly from the amplifier allow integration of auxiliary devices





"[Neurovirtual] Is very user-friendly not only for our technicians, but also for our physicians. They are able to remotely access the reader station, to do reporting. So they can do this from their office, or a laptop from their home... If we were happen to have any issues, we call tech support and they are there for us 24/7..."

> Lauren McCune, RN, BSN -Supervisor of Electrodiagnostics Services at Butler Memorial Hospital, PA

#### **BWIII LTM/ICU**

- Intuitive ICU/LTM Brain Monitoring
- Customization of protocols for NEURO ICU, NICU, Stroke
  and Trauma ICU's or EEG/LTM
- Online physician review from any reading station, including mobile devices
- Online integrated with Persyst Continuous Monitoring
- Digital Analysis and Brain Mapping Included
- SQL database with query capabilities
- Integrates with most EMR platforms via HL7 interface
- Custom reports in Microsoft Word
- Raw EEG Data storage for full analysis capabilities.
- Synchronized high quality video
- Trim down the EEG and video before archiving
- Online Physician Review Capabilities



# **BWMini**

- Full ambulatory EEG capabilities
- LCD screen displays impedance, study, and battery status
- Up to 3 days of recording with the same set of batteries
- EEG frequency spectrum and Brain mapping included on Analysis software
- Portable and light-weight
- Built-in Event Button
- 3 DC Inputs directly on Recorder
- SD Card and USB Connections
- Upgradable for recording PSG and HST studies

# **Amplifiers Specifications**

Specifications	BWIII EEG	BWIII EEG Plus	BWMini
Studies Performed	EEG	EEG/LTM/ICU/PSG	AEEG/PSG
Total Channels	36 Channels	50 Channels	43 Channels
DC Channels	4 DCX	8 DCX	3 DCX
Communication	Ethernet	Ethernet	USB
Photic Stimulator	White Led 1-60Hz	White Led 1-60Hz	USB White Led 1-60Hz*
Impedance Check	Software and Amplifier	Software and Amplifier	Software and Amplifier
Sampling Rate	2000 Hz	2000 Hz	2000 Hz
Low Filters	0.01Hz to 15Hz	0.01Hz to 15Hz	0.01Hz to 15Hz
High Filters	1Hz to 100 Hz	1Hz to 100 Hz	1Hz to 100Hz
designed for Routine EEG, and heads perfect for private practice. impedance		Duplicated inputs on Amp and headbox; Bedside impedance check. Can be Easily upgraded to PSG type 1.	Internal storage 72 hours of recording on batteries. Can be Easily upgraded to PSG type 1 and 3.

\*Coming soon

#### Accessories & Supplies




Skin Prep











BrainNet

For more information about products and supplies please consult your local distributor or call your nearest local office:



#### **Neurovirtual Corporation**

3303 W Commercial Blvd. Fort Lauderdale, FL 33309 / USA Toll Free: 1-888-6 - SLEEP- 8 Phone: +1 (786) 693-8200 info@neurovirtual.com www.neurovirtual.com

#### **Neurovirtual Colombia**

Calle 79 No. 16<sup>a</sup>-20 Oficina 608 Edificio Office Class - Bogota Phone:+57 (1) 508-2517 info@neurovirtual.com.co www.neurovirtual.com.co

#### Neurovirtual Argentina

Gallo 1224 PBC, Recoleta - CP 1425 Buenos Aires Phone: 0800-333-0410 argentina@neurovirtual.com www.neurovirtual.com.ar

#### **Neurovirtual Brazil**

Al Araguaia, 271 Alphaville - Barueri - São Paulo CEP 06455-000 Phone: 0800 702 0204 vendas@neurovirtual.com.br www.neurovirtual.com.br

### **Neurovirtual Mexico**

Av. Melchor Ocampo, 463 Colonia Nueva Anzures - Delegación Miguel Hidalgo Mexico DF - CP 11590 Phone: (DF) +52 55 1168-9942 info@neurovirtual.com.mx www.neurovirtual.com.mx

# **Neurovirtual Chile**

Av. Providencia Nro. 2330 Comuna Providencia - Santiago de Chile Phone: +569 6662 8443 chile@neurovirtual.com www.neurovirtual.cl